





CAR FRAME FOR TRACTION GEARED 1:1 ROPING



CAR FRAME FOR TRACTION GEARLESS 2:1 ROPING 2 PARALLEL BOTTOM PULLEY




CAR FRAME FOR TRACTION GEARLESS 2:1 ROPING 1 PARALLEL TOP PULLEY




Model Name	Feather 1PLT
Roping	2:1
Safety	Instantaneous
Capacity	Max. 8 Passenger
Speed	Max. 1m/s




CAR FRAME FOR TRACTION GEARLESS 2:1 ROPING 2 PARALLEL TOP PULLEY




Model Name	Feather 2PLT
Roping	2:1
Safety	Instantaneous
Capacity	Max. 8 Passenger
Speed	Max. 1m/s




CAR FRAME FOR TRACTION GEARLESS 2:1 ROPING 1 PERPENDICULAR TOP PULLEY




CAR FRAME FOR TRACTION GEARLESS 2:1 ROPING 2 PERPENDICULAR TOP PULLEY



Model Name	Feather 2PRT
Roping	2:1
Safety	Instantaneous
Capacity	Max. 8 Passenger
Speed	Max. 1m/s




CAR FRAME FOR TRACTION GEARLESS 2:1 ROPING HIGH SPEED




Model Name	Elto
Roping	2:1
Safety	Progressive
Capacity	Max.20 Passenger
Speed	Max. 1.75m/s




CANTILEVER CAR FRAME FOR HYDRAULIC HEAVY DUTY



CANTILEVER CAR FRAME FOR HYDRAULIC




8 Passenger - Upto 0.5m/s DBG=500,600,700,800
Min. Wall to rail centre = 140




Model Name	Metro Hydraulic
Roping	1:2
Safety	Instantaneous
Capacity	Max. 8 Passenger
Speed	Max. 0.5m/s




CANTILEVER CAR FRAME FOR GARLESS



Model Name	Metro Gearless
Roping	2:1
Safety	Instantaneous
Capacity	Max. 8 Passenger
Speed	Max. 1m/s




TOP CANTILEVER CAR FRAME FOR HYDRAULIC



Model Name	Velocity Hydraulic
Roping	1:2
Safety	Instantaneous
Capacity	Max. 8 Passenger
Speed	Max. 0.5m/s





TOP CANTILEVER CAR FRAME FOR GARLESS



Model Name	Velocity Gearless
Roping	2:1
Safety	Instantaneous
Capacity	Max. 8 Passenger
Speed	Max. 1m/s







CAR FRAME FOR HYDRAULIC AUTOMOBILE LIFT WITH 6 GUIDE RAILS



Model Name	Automob H6
Roping	1:2
Safety	Progressive
Capacity	Max. 3 Tonne
Speed	Max. 0.5m/s


CAR FRAME FOR TRACTION AUTOMOBILE LIFT WITH 6 GUIDE RAILS



Model Name	Automob T6
Roping	2:1
Safety	Progressive
Capacity	Max. 3 Tonne
Speed	Max. 1m/s



CAR FRAME FOR HYDRAULIC AUTOMOBILE LIFT WITH 4 GUIDE RAILS



Model Name	Automob H4
Roping	1:2
Safety	Progressive
Capacity	Max. 3 Tonne
Speed	Max. 0.5m/s

